

Serial No.:

09/469,485

Case No.: Page 20369Y

## PLEASE AMEND THE CLAIMS AS FOLLOWS:

Please replace the appropriate claims with the clean versions provided below.

- 8. (AMENDED) A method of increasing the antigenicity of recombinant hepatitis B surface antigen (rHBsAg) comprising:
  - a) providing soluble sterile filtered rHBsAg purified from a cell culture,
  - b) adding a redox buffer to the rHBsAg,
  - c) adjusting the temperature to about 34°C to about 38°C,
- d) incubating the rHBsAg at about 34°C to about 38°C for about 40 to about 240 hours,

wherein the antigenicity of the rHBsAg produced after step d is greater than the antigenicity of the rHBsAg provided in step a.

Na

steps of

- 14. (AMENDED) The method according to Claim 13 wherein the ratio of thiol to disulfide is selected from the group consisting of about 20:1, about 10:1, about 10:4, about 5:1, about 2:1 and about 1:1.
  - 19. (AMENDED) The method according to Claim 18 further comprising the
  - g) adding an aluminum adjuvant, and
  - h) co-precipitating the rHBsAg and the adjuvant.

## PLEASE AMEND THE SPECIFICATION AS FOLLOWS:

At page 2, line 21, after "(Wampler et al. 1985" insert – . Multiple chemical forms of hepatitis B surface antigen. *Proc. Nat. Acad. Sci.* 82:6830-6834.—

At page 4, at the end of line 32, insert - Vk gene region DNA sequence is SEQ ID NO 3. Vh gene region DNA sequence is SEQ ID NO 4. -